

Release Notes

Product Name: MTX3-88-SE

Current Version:

Type	Number	Date
Firmware	R1.2.65527	July 2024
Software	–	–
Web	–	–
Hardware	–	–

RN Date: July 01, 2024

Reference: 019756

Kramer Product Affected:

Product Name	Minimum FW Version for Upgrade	Recommended for All Units	Only if Added Features are Required
MTX3-88-SE	Any	Yes	Yes

Summary:

- New improvements
- Bug fixes.

Codependency with Other Products and Software:

- There is no codependency with other products or software.



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerav.com

Web: www.kramerav.com

Release Notes

Product Name: MTX3-88-SE

Current Version:

Type	Number	Date
Firmware	R1.2.65527	July 2024
Software	–	–
Web	–	–
Hardware	–	–

RN Date: July 01, 2024

Reference: 019756

The following changes were made in this version:

Bugs Fixed:

ID	Fixed Bug Description
	Changed the option for the HDCP output mode from FOLLOW OUTPUT to ALWAYS ON.
	Improved power up sequence.
	Input 1 led indication inconsistent behavior among HDBT and HDMI.

Known Limitations (including compatibility limitations):

ID	Limitation Description
84671	<ol style="list-style-type: none"> Potential no picture on Outputs 1/2 when the output resolution is set to 4K60 and the EDID on the output HDBT display is 4K30. <u>Workaround:</u> Set the output resolution to 4K30. Some sources may output a 4K60 signal, which is not recognized on the HDBT Input when its EDID is set as 4K30. <u>Workaround:</u> On the EDID Management webpage, select “1080” for Input 1.
83965	Improper web-UI display status for active output DVI display.
82952	Disconnecting an HDBT output causes a glitch on its mirrored HDMI output.
84112	Occasionally, FW upgrade with K-Upload may fail on 1st attempt. <u>Workaround:</u> Re-attempt to upgrade the FW.
1874	Potential output picture freeze or black screen for an input signal from sources which output in 4:2:2 or 4:2:0 colorspace (especially some older MAC computers).



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerav.com

Web: www.kramerav.com

Release Notes

ID	Limitation Description
	<u>Workaround:</u> On the EDID Management webpage, select "4K30" for the input to which this source is connected.
1925	Issues when recalling (via the RCL button) from an unsaved setup address.

Preceding Version: 1.2.65016



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerav.com

Web: www.kramerav.com

Release Notes

Product Name: MTX3-88-SE

Current Version:

Type	Number	Date
Firmware	1.2.65016	May 2024
Software	–	–
Web	–	–
Hardware	–	–

RN Date: May 28, 2024

Reference:

Kramer Product Affected:

Product Name	Minimum FW Version for Upgrade	Recommended for All Units	Only if Added Features are Required
MTX3-88-SE	N/A	N/A	N/A

Summary:

- New product release.

Codependency with Other Products and Software:

- There is no codependency with other products or software.

Replaced Products:

- N/A



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerav.com

Web: www.kramerav.com

Release Notes

Product Name: MTX3-88-SE

Current Version:

Type	Number	Date
Firmware	1.2.65016	May 2024
Software	–	–
Web	–	–
Hardware	–	–

RN Date: May 28, 2024

Reference:

This is a release note for a new product. For a list of new product features see:

www.kramerav.com/manual/MTX3-88-SE

Bugs to Fix in Future Versions:

N/A

Known Limitations (including compatibility limitations):

ID	Limitation Description
84671	<p>3. Potential no picture on Outputs 1/2 when the output resolution is set to 4K60 and the EDID on the output HDBT display is 4K30. <u>Workaround:</u> Set the output resolution to 4K30.</p> <p>4. Some sources may output a 4K60 signal, which is not recognized on the HDBT Input when its EDID is set as 4K30. <u>Workaround:</u> On the EDID Management webpage, select “1080” for Input 1.</p>
83965	Improper web-UI display status for active output DVI display.
82952	Disconnecting an HDBT output causes a glitch on its mirrored HDMI output.
84112	Occasionally, FW upgrade with K-Upload may fail on 1st attempt. <u>Workaround:</u> Re-attempt to upgrade the FW.
1874	Potential output picture freeze or black screen for an input signal from sources which output in 4:2:2 or 4:2:0 colorspace (especially some older MAC computers). <u>Workaround:</u> On the EDID Management webpage, select “4K30” for the input to which this source is connected.
1925	Issues when recalling (via the RCL button) from an unsaved setup address.

Preceding Version: N/A



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerav.com

Web: www.kramerav.com