



Product Name: VSM-4x4HFS

Current Version: F – 2.05

Version Date: June 2016

Reference: 10190

Release Type:

☒ Firmware ☐ Software ☐ Hardware ☐ New Product

Kramer Product Affected:

Product Name	Minimum FW Version for Upgrade	Recommended for All Units	Only if Added Features are Required
VSM-4x4HFS	Any	Yes	N/A

Technical Notes:

- A web problem, saving a configuration and switching noise problems were fixed.

Codependency with Other Products and Software:

- There is no codependency with other products or software.



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerel.com

Web: www.kramerelectronics.com



Product Name: VSM-4x4HFS
Current Version: F – 2.05
Version Date: June 2016
Reference: 10190

The following changes were made in this version:

Fixes:

- A typo on the EDID web page was fixed.
- The saving configuration feature did not work properly.
- In new installations there were occasional noises when switching video to an unconnected input.

Known Issues:

- There are no known issues.

Preceding Version: F – 2.03



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerelect.com

Web: www.kramerelectronics.com



Product Name: VSM-4x4HFS

Preceding Version: F – 2.03

Version Date: January 2016

Reference: 8821

The following changes were made in this version:

Added Features:

- UDP front panel echoing was added.
- Web page control commands were added

Fixes:

- Discrepancy bugs were fixed.

Known Issues:

- There are no known issues.

Preceding Version: F – 2.0



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerel.com

Web: www.kramerelectronics.com



Product Name: VSM-4x4HFS

Preceding Version: F – 2.0

Version Date: March 2015

Reference: 8547

The following changes were made in this version:

Added Features:

- An option to load firmware via Ethernet was replaced by a USB option. This frees memory space for future upgrades.
- Ethernet UDP Control was enabled.
- Missing commands and RS-232 echoing for all P3K commands was added.
- Support was added for input/output label changes that display on the screen, with a smaller font that supports 12 characters.

Known Issues:

- There are no known issues.

Preceding Version: F – 1.15



KRAMER ELECTRONICS, Ltd.

E-mail: info@kramerel.com

Web: www.kramerelectronics.com